

Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration #

BVC0911033b

Declaration Date

12/8/2025

Tested Item #

7008CSM

Tradesman Pro 1D Standard Non-Belted FBH,
Small/Medium, TB Legs/QC Chest

Additional Items Conforming Under this Declaration:

7008CLX TE7008CXS TE7008C2X3X

7008C2X3X TE7008CSM

7008CXS TE7008CLX

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following product standard(s):

CSA Z259.10-2018

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

Level 1: FallTech Lab
Outside the Scope of
ISO/IEC Standard 17025:2017

Level 2: FallTech Lab
Within the Scope of
ISO/IEC Standard 17025:2017

Level 3: Independent 3rd Party Lab
accredited to
ISO/IEC Standard 17025:2017

Supporting
Documentation

PC-2912

Authorized Signature

Name

Zachary Winters

Title

Engineering Manager

Date

12/8/2025



International Accreditation Service, Inc
3060 Saturn St, Ste 100
Brea, CA 92821 +1 562-364-8201

FallTech Lab - TL-594
ISO/IEC 17025:2017

Alexander Andrew Inc dba FallTech

FallTech Test Report

Test Report No.	PC-2912	Rpt. Date	8/30/2023	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Zachary Winters	Test Specification(s)	CSA Z259.10-18: 6.2.2.1, 6.2.6				
Part No.	7008CSM	Part No. Revision	B				
Part Description	Tradesman Pro 1D Standard Non-Belted FBH, Small/Medium, TB Legs/QC Chest						
Test Request No.	PC-2912	Date Complete	8/30/2023				
Test Operator(s)	Yesbet Sierra / Jay Sponholz						

Material/Sample Identification

Sample ID	Description
7013608	Tradesman Pro 1D Standard Non-Belted FBH, Small/Medium, TB Legs/QC Chest
7013325	Tradesman Pro 1D Standard Non-Belted FBH, Small/Medium, TB Legs/QC Chest
7051619	Tradesman Pro 1D Standard Non-Belted FBH, Small/Medium, TB Legs/QC Chest

Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail	
CSA Z259.10-18 6.2.2.1.1	Drop Test Class A Dorsal D-ring (Feet First)	Peak Impact \geq 3,600 Lbf or 39.4" Free Fall	5937.3 lbs. Fall Height 30.0"	Pass
	Drop Test Class A Dorsal D-ring (Feet First)	Test Mass Remain Suspended for: \geq 2 Minutes	2 Minutes	Pass
	Drop Test Class A Dorsal D-ring (Feet First)	All Connectors remain connected	All Connected	Pass
	Drop Test Class A Dorsal D-ring (Feet First)	Angle at Rest = \leq 30°	0.30°	Pass
	Drop Test Class A Dorsal D-ring (Feet First)	Activate Fall Arrest Indicator	Visibly and Permanently Deployed	Pass
	Drop Test Class A Dorsal D-ring (Feet First)	Harness Stretch \leq Manufactures Stated Value	11.0"	Pass
CSA Z259.10-18 6.2.2.1.2	Drop Test Class A Dorsal D-ring (Head First)	Peak Impact \geq 3,600 Lbf or 39.4" Free Fall	3743.4 lbs. Fall Height 39.4"	Pass
	Drop Test Class A Dorsal D-ring (Head First)	Test Mass Remain Suspended for: \geq 2 Minutes	2 Minutes	Pass
	Drop Test Class A Dorsal D-ring (Head First)	All Connectors remain connected	All Connected	Pass
	Drop Test Class A Dorsal D-ring (Head First)	Activate Fall Arrest Indicator	Visibly and Permanently Deployed	Pass

FallTech Test Report						
Test Report No.	PC-2912	Rpt. Date	8/30/2023	Rpt. Rev		Rev Date
Report Prepared For	FallTech					
Initiated By	Zachary Winters	Test Specification(s)	CSA Z259.10-18: 6.2.2.1, 6.2.6			
Part No.	7008CSM	Part No. Revision	B			
Part Description	Tradesman Pro 1D Standard Non-Belted FBH, Small/Medium, TB Legs/QC Chest					
Test Request No.	PC-2912	Date Complete	8/30/2023			

Test Summary (Continued)			
Test Specification	Test Criteria	Test Result	Pass/Fail
CSA Z259.10-18 6.2.6	Fall Arrest Indicator Static	Load to 900 lbs. or Indicator deploys Whichever occurs first	906.9 lbs. Pass
	Fall Arrest Indicator Static	Verify Fall Arrest Indicator has activated	Visibly and Permanently Deployed Pass

Conclusion
Based upon the samples provided to the Lab: FallTech P/N 7008CSM Rev. B meets the requirements of CSA Z259.10-18

Report Signatories and Approval			
Lab Quality Manager		Date	8/30/2023
Witnessed by	Bob Howey (Element) 	Date	9/5/23