

# Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration #

B0323181

Declaration Date

3/23/2023

Tested Item #

7023FDM

Journeyman Steel Climbing Non-belted FBH Medium  
3D+FD TB Legs QC Chest, w/ Trauma Pack

### Additional Items Conforming Under this Declaration:

7023FDS	7023FD2X	70233X	7021	70214X	7021FDL	7021FD3X
7023FDL	7023	70234X	70212XL	7021FDS	7021FDXL	
7023FDXL	70232X	7021	70213X	7021FDM	7021FD2X	

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following product standard(s):

**ANSI Z359.11-2021**

### Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

X

Level 3

**Level 1:** FallTech Lab  
Outside the Scope of  
ISO/IEC Standard 17025:2005

**Level 2:** FallTech Lab  
Within the Scope of  
ISO/IEC Standard 17025:2005

**Level 3:** Independent 3rd Party Lab  
accredited to  
ISO/IEC Standard 17025:2005

Supporting  
Documentation

PC-2796

### Authorized Signature

Name

Zachary Winters

Title

Date

3/23/2023



International Accreditation Service, Inc  
3060 Saturn St, Ste 100  
Brea, CA 92821 +1 562-364-8201

FallTech Lab - TL-594  
ISO/IEC 17025:2017

Alexander Andrew Inc dba FallTech

### FallTech Test Report

<b>Test Report No.</b>	PC-2796	<b>Rpt. Date</b>	3/23/2023	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Zachary Winters	<b>Test Specification(s)</b>		ANSI Z359.11-2021: 4.3.3, 4.3.4, 4.3.5, 4.3.6			
<b>Part No.</b>	7023FDM	<b>Part No. Revision</b>			E		
<b>Part Description</b>	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest						
<b>Test Request No.</b>	PC-2796	<b>Date Complete</b>			3/23/2023		
<b>Test Operator(s)</b>	Yesbet Sierra / Jay Sponholz						

### Material/Sample Identification

Sample ID	Description
6918674	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918660	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918668	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918673	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918669	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918677	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918656	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918655	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918659	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918664	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918675	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918667	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918665	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918671	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918676	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918657	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918666	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918661	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918673	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918669	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918663	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918674	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918660	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest
6918668	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest

### Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.11-2021 4.3.5	Static Strength (Dorsal D-ring)	3600 Lbf $\geq$ 1 Minute	3629.2 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Dorsal D-ring)	3600 Lbf $\geq$ 1 Minute	3639.9 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear > 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass

### FallTech Test Report

<b>Test Report No.</b>	PC-2796	<b>Rpt. Date</b>	3/23/2023	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Zachary Winters	<b>Test Specification(s)</b>		ANSI Z359.11-2021: 4.3.3, 4.3.4, 4.3.5, 4.3.6			
<b>Part No.</b>	7023FDM	<b>Part No. Revision</b>			E		
<b>Part Description</b>	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest						
<b>Test Request No.</b>	PC-2796	<b>Date Complete</b>			3/23/2023		

### Test Summary Continued

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.11-2021 4.3.5	Static Strength (Dorsal D-ring)	3600 Lbf $\geq$ 1 Minute	3653.0 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear $>$ 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Sternal D-ring)	3600 Lbf $\geq$ 1 Minute	3635.2 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear $>$ 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Sternal D-ring)	3600 Lbf $\geq$ 1 Minute	3640.3 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear $>$ 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Sternal D-ring)	3600 Lbf $\geq$ 1 Minute	3634.7 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear $>$ 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Side D-rings)	3600 Lbf $\geq$ 1 Minute	3652.2 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear $>$ 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.5	Static Strength (Side D-rings)	3600 Lbf $\geq$ 1 Minute	3640.1 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear $>$ 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass

### FallTech Test Report

<b>Test Report No.</b>	PC-2796	<b>Rpt. Date</b>	3/23/2023	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Zachary Winters	<b>Test Specification(s)</b>		ANSI Z359.11-2021: 4.3.3, 4.3.4, 4.3.5, 4.3.6			
<b>Part No.</b>	7023FDM	<b>Part No. Revision</b>			E		
<b>Part Description</b>	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest						
<b>Test Request No.</b>	PC-2796	<b>Date Complete</b>			3/23/2023		

### Test Summary Continued

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.11-2021 4.3.5	Static Strength (Side D-rings)	3600 Lbf $\geq$ 1 Minute	3642.1 Lbf	Pass
	Hold Test Torso	Shall Not Release Torso	Did Not Release	Pass
	Adjuster Slippage	Slippage $\leq$ 1"	0.0"	Pass
	Tear Distance (Buckle)	Shall Not Tear $>$ 1"	Did Not Tear Through	Pass
	Tearing (Straps)	Shall Not Show Any Tearing	Did Not Tear	Pass
ANSI Z359.11-2021 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load $\geq$ 3600 Lbf	5570.4 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest $\leq$ 30°	2.6°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
	Harness Stretch	Shall Not Exceed 18"	10.0"	Pass
ANSI Z359.11-2021 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load $\geq$ 3600 Lbf	5263.3 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest $\leq$ 30°	1.7°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
	Harness Stretch	Shall Not Exceed 18"	10.9"	Pass
ANSI Z359.11-2021 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load $\geq$ 3600 Lbf	5671.9 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest $\leq$ 30°	1.2°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
	Harness Stretch	Shall Not Exceed 18"	10.1"	Pass
ANSI Z359.11-2021 4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact $\geq$ 3,600 Lbf or 72" Free Fall	72" Free fall 2371.8 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest $\leq$ 30°	3.5°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
ANSI Z359.11-2021 4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact $\geq$ 3,600 Lbf or 72" Free Fall	72" Free fall 2658.7 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest $\leq$ 30°	6.8°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
ANSI Z359.11-2021 4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact $\geq$ 3,600 Lbf or 72" Free Fall	72" Free fall 1971.3 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest $\leq$ 30°	9.6°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass

### FallTech Test Report

<b>Test Report No.</b>	PC-2796	<b>Rpt. Date</b>	3/23/2023	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Zachary Winters	<b>Test Specification(s)</b>		ANSI Z359.11-2021: 4.3.3, 4.3.4, 4.3.5, 4.3.6			
<b>Part No.</b>	7023FDM	<b>Part No. Revision</b>			E		
<b>Part Description</b>	Journeyman Steel Climbing Non-belted FBH Medium 3D+FD TB Legs QC Chest						
<b>Test Request No.</b>	PC-2796	<b>Date Complete</b>			3/23/2023		

### Test Summary Continued

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.11-2021 4.3.3	Dynamic Performance Sternal D-ring (Feet First)	Peak Impact Load $\geq 3600$ Lbf	3615.0 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest $\leq 50^\circ$	34.6°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
	Harness Stretch	Shall Not Exceed 18"	11.1"	Pass
ANSI Z359.11-2021 4.3.3	Dynamic Performance Sternal D-ring (Feet First)	Peak Impact Load $\geq 3600$ Lbf	3597.0 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest $\leq 50^\circ$	38.3°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
	Harness Stretch	Shall Not Exceed 18"	10.7"	Pass
ANSI Z359.11-2021 4.3.3	Dynamic Performance Sternal D-ring (Feet First)	Peak Impact Load $\geq 3600$ Lbf	4135.5 Lbf	Pass
	Fall Arrest	Shall Not Release Torso	Did Not Release	Pass
	Post Drop Angle	Angle at Rest $\leq 50^\circ$	35.1°	Pass
	Impact Indicator	One Indicator Shall Deploy	Permanently Deployed	Pass
	Harness Stretch	Shall Not Exceed 18"	11.7"	Pass
ANSI Z359.11-2021 4.3.6	Fall Arrest Indicator Test (Doral D-ring)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass
ANSI Z359.11-2021 4.3.6	Fall Arrest Indicator Test (Doral D-ring)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass
ANSI Z359.11-2021 4.3.6	Fall Arrest Indicator Test (Doral D-ring)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass
ANSI Z359.11-2021 4.3.6	Fall Arrest Indicator Test (Sternal D-ring)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass
ANSI Z359.11-2021 4.3.6	Fall Arrest Indicator Test (Sternal D-ring)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass
ANSI Z359.11-2021 4.3.6	Fall Arrest Indicator Test (Sternal D-ring)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass

### Conclusion

Based upon the samples provided to the Lab:  
 FallTech P/N 7023FDM Rev. E meets the requirements of ANSI Z359.11-2021

### Report Signatories and Approval

Lab Quality Manager		Date	3/23/2023
---------------------	---	------	-----------