

Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221

Declaration #

C0617053b

Declaration Date

6.13.17

Tested Item #

8247BY

6' Ironman® Y-leg Energy Absorbing Lanyard

Additional Items Conforming Under this Declaration:

8247BY3

8247BY3A

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following performance standard(s):

ANSI Z359.13-2013

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

Level 1: FallTech Lab
Outside the Scope of
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab
Within the Scope of
ISO/IEC Standard 17025:2005

Level 3: Independent 3rd Party Lab
accredited to
ISO/IEC Standard 17025:2005

Supporting
Documentation

PC-1138

PC-1168

Authorized Signature

Name

Martin Barila

Title

VP of Operations

Date

11.7.17

Exova
3883 East Eagle Drive
Anaheim
California
USA
92807

T: +1 (714) 630-3003
F: +1 (714) 630-4443
E: sales@exova.com
W: www.exova.com



Testing. Advising. Assuring.

June 15, 2017

FallTech Testing Laboratory
1306 S. Alameda Street
Compton, CA 90221

Attention: Jay Sponholz
Quality Manager

Subject: **Attestation of Witnessing Testing**
Exova OCM Job # 370839-3
FallTech P.O.: OPEN
Report No.: PC-1138
Base Part No. 8247BY
Description: Y-Leg Energy Absorbing Lanyard

Dear Mr. Sponholz:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:



- Date of Testing:
 - June 7, 2017
- Exova OCM Test Witness:
 - 6/7/17 -Nolan Schatzle
- FallTech Test Operators:
 - Yesbet Sierra/Jay Sponholz
- Specification:



ANSI Z359.13-2013 Sections 4.7.1, 4.7.2, 4.7.3, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3

- Equipment Calibration Interval
 - 1 year, except weights which are 5 years

Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-1138	6/7/17	8247BY	Energy Absorbing Lanyard	S1 S2 S3 D1 D2 D3 S1 S2 S3 D1 D2 D3 W1 W2 W3 C1 C2 C3 H1 H2 H3	Pass

Test Witness Signature: Nolan Schatzle Technician Mechanical Laboratory	(Signed for and on behalf of Exova-OCM)  
---	---

Approval Signature: Jim Rutherford Active Quality Manager	(Signed for and on behalf of Exova-OCM)  
--	--

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.



FallTech Test Report

Test Report No.	PC-1138	Rpt. Date	6/13/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247BY	Part No. Revision	A				
Part Description	12FF Energy Absorbing Y-Leg Lanyard						
Test Request No.	PC-1138	Date Complete	6/7/2017				
Test Operator(s)	Yesbet Sierra / Jay Sponholz						

Material/Sample Identification

Sample ID	Description
S1	12FF Y-Leg Energy Absorbing Lanyard
S2	12FF Y-Leg Energy Absorbing Lanyard
S3	12FF Y-Leg Energy Absorbing Lanyard
D1	12FF Y-Leg Energy Absorbing Lanyard
D2	12FF Y-Leg Energy Absorbing Lanyard
D3	12FF Y-Leg Energy Absorbing Lanyard
S1	12FF Y-Leg Energy Absorbing Lanyard
S2	12FF Y-Leg Energy Absorbing Lanyard
S3	12FF Y-Leg Energy Absorbing Lanyard
D1	12FF Y-Leg Energy Absorbing Lanyard
D2	12FF Y-Leg Energy Absorbing Lanyard
D3	12FF Y-Leg Energy Absorbing Lanyard
W1	12FF Y-Leg Energy Absorbing Lanyard
W2	12FF Y-Leg Energy Absorbing Lanyard
W3	12FF Y-Leg Energy Absorbing Lanyard
C1	12FF Y-Leg Energy Absorbing Lanyard
C2	12FF Y-Leg Energy Absorbing Lanyard
C3	12FF Y-Leg Energy Absorbing Lanyard
H1	12FF Y-Leg Energy Absorbing Lanyard
H2	12FF Y-Leg Energy Absorbing Lanyard
H3	12FF Y-Leg Energy Absorbing Lanyard



FallTech Test Report

Test Report No.	PC-1138	Rpt. Date	6/13/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247BY	Part No. Revision	A				
Part Description	12FF Energy Absorbing Y-Leg Lanyard						
Test Request No.	PC-1138	Date Complete	6/7/2017				

Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.13-2013 4.7.1, 4.7.2	Static Strength	≥ 5000 Lbf	5026.2 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
	Static Strength	≥ 5000 Lbf	5022.7 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.1, 4.7.2	Static Strength	≥ 5000 Lbf	5028.3 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
	Static Strength	≥ 5000 Lbf	5035.4 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.1, 4.7.2	Static Strength	≥ 3600 Lbf	5037.2 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
	Static Strength	≥ 3600 Lbf	5028.2 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.3	Static Strength	≥ 5000 Lbf	5030.7 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.3	Static Strength	≥ 5000 Lbf	5037.7 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.3	Static Strength	≥ 5000 Lbf	5041.8 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.8	Arrest Distance	≤ 60"	56.9"	Pass
	Max Arrest Force	≤ 1800 Lbf	1222.3 Lbf	Pass
	Avg Arrest Force	≤ 1350 Lbf	900.8 Lbf	Pass
ANSI Z359.13-2013 4.8	Arrest Distance	≤ 60"	56.5"	Pass
	Max Arrest Force	≤ 1800 Lbf	1173.9 Lbf	Pass
	Avg Arrest Force	≤ 1350 Lbf	916.9 Lbf	Pass
ANSI Z359.13-2013 4.8	Arrest Distance	≤ 60"	52.7"	Pass
	Max Arrest Force	≤ 1800 Lbf	1227.5 Lbf	Pass
	Avg Arrest Force	≤ 1350 Lbf	895.8 Lbf	Pass



FallTech Test Report

Test Report No.	PC-1138	Rpt. Date	6/13/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247BY			Part No. Revision	A		
Part Description	12FF Energy Absorbing Y-Leg Lanyard						
Test Request No.	PC-1138			Date Complete	6/7/2017		

Test Summary (Continued)

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.13-2013 4.9	Max Arrest Force	≤ 1800 Lbf	1268.8 Lbf	Pass
ANSI Z359.13-2013 4.9	Max Arrest Force	≤ 1800 Lbf	1252.9 Lbf	Pass
ANSI Z359.13-2013 4.9	Max Arrest Force	≤ 1800 Lbf	1185.5 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 60"	48.7"	Pass
	Max Arrest Force	≤ 1800 Lbf	1274.0 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	879.4 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 60"	48.7"	Pass
	Max Arrest Force	≤ 1800 Lbf	1268.7 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	911.2 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 60"	49.1"	Pass
	Max Arrest Force	≤ 1800 Lbf	1305.2 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	889.0 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	≤ 60"	45.4"	Pass
	Max Arrest Force	≤ 1800 Lbf	1409.2 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	1038.4 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	≤ 60"	43.8"	Pass
	Max Arrest Force	≤ 1800 Lbf	1299.9 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	985.3 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	≤ 60"	42.5"	Pass
	Max Arrest Force	≤ 1800 Lbf	1426.8 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	974.5 Lbf	Pass



FallTech Test Report

Test Report No.	PC-1138	Rpt. Date	6/13/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247BY	Part No. Revision	A				
Part Description	12FF Energy Absorbing Y-Leg Lanyard						
Test Request No.	PC-1138	Date Complete	6/7/2017				



Test Summary (Continued)

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.13-2013 4.13.3	Arrest Distance	≤ 60"	56.5"	Pass
	Max Arrest Force	≤ 1800 Lbf	1699.1 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	976.3 Lbf	Pass
ANSI Z359.13-2013 4.13.3	Arrest Distance	≤ 60"	53.5"	Pass
	Max Arrest Force	≤ 1800 Lbf	1403.8 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	909.7 Lbf	Pass
ANSI Z359.13-2013 4.13.3	Arrest Distance	≤ 60"	51.7"	Pass
	Max Arrest Force	≤ 1800 Lbf	1270.2 Lbf	Pass
	Avg Arrest Force	≤ 1575 Lbf	906.6 Lbf	Pass

Conclusion

FallTech P/N 8247BY Rev. A Energy Absorbing Y-lanyard meets the requirements of ANSI Z359.13-2013

Report Signatories and Approval

Lab Quality Manager		Date	6/13/2017
Witnessed by	Nolan Schatzle 	Date	6-15-17

Exova
3883 East Eagle Drive
Anaheim
California
USA
92807

T: +1 (714) 630-3003
F: +1 (714) 630-4443
E: sales@exova.com
W: www.exova.com



Testing. Advising. Assuring.

August 25, 2017

FallTech Testing Laboratory
1306 S. Alameda Street
Compton, CA 90221

Attention: Jay Sponholz
Quality Manager

Subject: **Attestation of Witnessing Testing**
Exova OCM Job # 371174-1
FallTech P.O.: OPEN
Report No.: PC-1168
Base Part No. 8247BY
Description: Ironman 6' Shock Absorbing Lanyard 6' free fall

Dear Mr. Sponholz:

The purpose of this attestation is to attest to the fact that a representative of Exova OCM was on site at FallTech's facilities to confirm suitability of the equipment used, calibration status of the equipment and to witness testing performed by FallTech employees. Details of this visit are included below:



- Date of Testing:
 - July 27, August 2-3, 2017
- Exova OCM Test Witness:
 - 7/27/17 & 8/2-3/17 - Nolan Schatzle
- FallTech Test Operators:
 - Yesbet Sierra/Jay Sponholz
- Specification:

ANSI Z359.13-2013 Sections 4.5, 4.6, 4.13.1, 4.13.2, 4.13.3

- Equipment Calibration Interval
 - 1 year, except weights which are 5 years

Attached to this attestation is the test report generated by FallTech Testing Laboratory. Exova OCM test witness certifies the report accurately presents the testing performed on the samples identified.

Test Report #	Date	Base Part #	Description	Sample ID's	Results
PC-1168	7/27/17 & 8/2-3/17	8247BY	Ironman 6' Shock Absorbing Lanyard 6' free fall	3994562 3994563 4028934 4003062 4003056 4003060 3994562 3994563 4028934 4003056 4003060 4003061 4003059 4003065 4003055 4003064 4003057 4003067 4003068 4003063	Pass

Test Witness Signature: Nolan Schatzle Technician Mechanical Laboratory	(Signed for and on behalf of Exova-OCM) 	
---	---	---

Approval Signature: Victor Mendez Production Manager	(Signed for and on behalf of Exova-OCM) 
---	---

This attestation shall not be reproduced except in full, without the written approval of Exova-OCM. The laboratory has witnessed the testing the material / items supplied by the client as sampled by the client. The testing is not within Exova OCM's L.A.B scope of testing and was not performed at Exova OCM.



FallTech Test Report

Test Report No.	PC-1168	Rpt. Date	8/7/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247BY	Part No. Revision	A				
Part Description	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall						
Test Request No.	PC-1168	Date Complete	8/3/2017				
Test Operator(s)	Yesbet Sierra / Jay Sponholz						

Material/Sample Identification

Sample ID	Description
3994562	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3994563	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4028934	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003062	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003056	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003060	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3994562	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
3994563	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4028934	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003062	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003056	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003060	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003061	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003059	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003065	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003055	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003064	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003057	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003067	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003068	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall
4003063	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall



FallTech Test Report

Test Report No.	PC-1168	Rpt. Date	8/7/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247BY	Part No. Revision	A				
Part Description	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall						
Test Request No.	PC-1168	Date Complete	8/3/2017				

Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.13-2013 4.7.1, 4.7.2	Static Strength	≥ 5000 Lbf	5031.7 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
	Static Strength	≥ 5000 Lbf	5028.5 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.1, 4.7.2	Static Strength	≥ 5000 Lbf	5025.0 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
	Static Strength	≥ 5000 Lbf	5022.7 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.1, 4.7.2	Static Strength	≥ 5000 Lbf	5030.2 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
	Static Strength	≥ 5000 Lbf	5033.1 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.3	Static Strength	≥ 5000 Lbf	5025.8 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.3	Static Strength	≥ 5000 Lbf	5027.8 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.7.3	Static Strength	≥ 5000 Lbf	5032.8 Lbf	Pass
	Hold	≥ 1 Minute	1 Minute	Pass
ANSI Z359.13-2013 4.8	Arrest Distance	≤ 48"	33.0"	Pass
	Max Arrest Force	≤ 1800 Lbf	1196.0 Lbf	Pass
	Avg Arrest Force	≤ 900 Lbf	866.1 Lbf	Pass
ANSI Z359.13-2013 4.8	Arrest Distance	≤ 48"	33.5"	Pass
	Max Arrest Force	≤ 1800 Lbf	1108.6 Lbf	Pass
	Avg Arrest Force	≤ 900 Lbf	848.7 Lbf	Pass
ANSI Z359.13-2013 4.8	Arrest Distance	≤ 48"	33.0"	Pass
	Max Arrest Force	≤ 1800 Lbf	1129.8 Lbf	Pass
	Avg Arrest Force	≤ 900 Lbf	852.5 Lbf	Pass



FallTech Test Report

Test Report No.	PC-1168	Rpt. Date	8/7/2017	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3				
Part No.	8247BY	Part No. Revision	A				
Part Description	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall						
Test Request No.	PC-1168	Date Complete	8/3/2017				

Test Summary (Continued)

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.13-2013 4.9	Max Arrest Force	≤ 1800 Lbf	1237.7 Lbf	Pass
ANSI Z359.13-2013 4.9	Max Arrest Force	≤ 1800 Lbf	1146.5 Lbf	Pass
ANSI Z359.13-2013 4.9	Max Arrest Force	≤ 1800 Lbf	1112.7 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 48"	31.0"	Pass
	Max Arrest Force	≤ 1800 Lbf	1094.7 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	850.7 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 48"	31.2"	Pass
	Max Arrest Force	≤ 1800 Lbf	1169.2 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	865.3 Lbf	Pass
ANSI Z359.13-2013 4.13.1	Arrest Distance	≤ 48"	32.0"	Pass
	Max Arrest Force	≤ 1800 Lbf	1145.9 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	863.2 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	≤ 48"	26.8"	Pass
	Max Arrest Force	≤ 1800 Lbf	1300.3 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	930.6 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	≤ 48"	26.6"	Pass
	Max Arrest Force	≤ 1800 Lbf	1280.7 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	958.4 Lbf	Pass
ANSI Z359.13-2013 4.13.2	Arrest Distance	≤ 48"	23.2"	Pass
	Max Arrest Force	≤ 1800 Lbf	1405.9 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	925.2 Lbf	Pass



FallTech Test Report

Test Report No.	PC-1168	Rpt. Date	8/7/2017	Rpt. Rev	Rev Date
Report Prepared For	FallTech				
Initiated By	Dan Redden	Test Specification(s)	ANSI Z359.13-2013 4.7, 4.8, 4.9, 4.13.1, 4.13.2, 4.13.3		
Part No.	8247BY	Part No. Revision	A		
Part Description	Ironman 6' Y-Leg Shock Absorbing Lanyard 6' free fall				
Test Request No.	PC-1168	Date Complete	8/3/2017		



Test Summary (Continued)

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.13-2013 4.13.3	Arrest Distance	≤ 48"	33.3"	Pass
	Max Arrest Force	≤ 1800 Lbf	1198.0 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	866.4 Lbf	Pass
ANSI Z359.13-2013 4.13.3	Arrest Distance	≤ 48"	32.4"	Pass
	Max Arrest Force	≤ 1800 Lbf	1142.2 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	872.1 Lbf	Pass
ANSI Z359.13-2013 4.13.3	Arrest Distance	≤ 48"	32.7"	Pass
	Max Arrest Force	≤ 1800 Lbf	1082.4 Lbf	Pass
	Avg Arrest Force	≤ 1125 Lbf	851.6 Lbf	Pass

Conclusion

FallTech P/N 8247BY Rev. A meets the requirements of ANSI Z359.13-2013

Report Signatories and Approval

Lab Quality Manager		Date	8/7/2017
Witnessed by	Nolan Schätzle 	Date	8-25-17