

# Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration #

D0404068a

Declaration Date

4/14/2023

Tested Item #

7232C

30' Galv Cable SRD DuraTech w/Steel Load-indicating Swivel Carabiner

Additional Items Conforming Under this Declaration:

7229C

7227C

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following product standard(s):

ANSI Z359.14-2021

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

Level 1: FallTech Lab  
Outside the Scope of  
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab  
Within the Scope of  
ISO/IEC Standard 17025:2005

Level 3: Independent 3rd Party Lab  
accredited to  
ISO/IEC Standard 17025:2005

Supporting  
Documentation

PC-2751

Authorized Signature

Name

Zachary Winters

Title

Engineering Manager

Date

4/4/2023



International Accreditation Service, Inc  
3060 Saturn St, Ste 100  
Brea, CA 92821 +1 562-364-8201

FallTech Lab - TL-594  
ISO/IEC 17025:2017

Alexander Andrew Inc dba FallTech

### FallTech Test Report

<b>Test Report No.</b>	PC-2751	<b>Rpt. Date</b>	1/23/2023	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Zachary Winters	<b>Test Specification(s)</b>	ANSI Z359.14-2021: 4.2.1, 4.3.1, 4.4, 4.5.1,				
<b>Part No.</b>	7232C	<b>Part No. Revision</b>	G				
<b>Part Description</b>	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner						
<b>Test Request No.</b>	PC-2751	<b>Date Complete</b>	1/17/2023				
<b>Test Operator(s)</b>	Yesbet Sierra / Jay Sponholz						

### Material/Sample Identification

Sample ID	Description
FT74468	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74493	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74489	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74489	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74000	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT73659	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74498	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74451	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74456	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74434	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74413	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74435	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74405	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74446	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74469	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74483	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74415	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74432	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74498	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74451	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner
FT74456	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner

### Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail
ANSI Z359.14-2021 4.2.1	Static Strength ≥ 3600 Lbf for ≥ 60 Seconds	3638.9 lbF	Pass
ANSI Z359.14-2021 4.2.1	Static Strength ≥ 3600 Lbf for ≥ 60 Seconds	3637.1 lbF	Pass
ANSI Z359.14-2021 4.2.1	Static Strength ≥ 3600 Lbf for ≥ 60 Seconds	3623.7 lbF	Pass

### FallTech Test Report

<b>Test Report No.</b>	PC-2751	<b>Rpt. Date</b>	1/23/2023	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Zachary Winters	<b>Test Specification(s)</b>	ANSI Z359.14-2021: 4.2.1, 4.3.1, 4.4, 4.5.1,				
<b>Part No.</b>	7232C	<b>Part No. Revision</b>	G				
<b>Part Description</b>	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner						
<b>Test Request No.</b>	PC-2751	<b>Date Complete</b>	1/17/2023				

### Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail	
ANSI Z359.14-2021 4.4	Energy Capacity > 1800 Lbf Max Arrest Force	1477.1 lbF	Pass	
ANSI Z359.14-2021 4.4	Energy Capacity > 1800 Lbf Max Arrest Force	1802.3 lbF	Pass	
ANSI Z359.14-2021 4.4	Energy Capacity > 1800 Lbf Max Arrest Force	1848.3 lbF	Pass	
ANSI Z359.14-2021 4.3.1	Max Arrest Force	≤ 1800 Lbf	1042.1 lbF	Pass
	Avg Arrest Force	≤ 1350 Lbf	735.8 lbF	Pass
	Arrest Distance	≤ 42"	24.9"	Pass
	Visual Indicator	Clear evidence of Impact	Clear Evidence	Pass
ANSI Z359.14-2021 4.3.1	Max Arrest Force	≤ 1800 Lbf	1223.2 lbF	Pass
	Avg Arrest Force	≤ 1350 Lbf	888.2 lbF	Pass
	Arrest Distance	≤ 42"	23.5"	Pass
	Visual Indicator	Clear evidence of Impact	Clear Evidence	Pass
ANSI Z359.14-2021 4.3.1	Max Arrest Force	≤ 1800 Lbf	950.1 lbF	Pass
	Avg Arrest Force	≤ 1350 Lbf	745.6 lbF	Pass
	Arrest Distance	≤ 42"	27.0"	Pass
	Visual Indicator	Clear evidence of Impact	Clear Evidence	Pass
ANSI Z359.14-2021 4.3.1.7	Max Arrest Force	≤ 1800 Lbf	932.7 lbF	Pass
	Avg Arrest Force	≤ 1575 Lbf	751.1 lbF	Pass
	Arrest Distance	≤ 42"	16.3"	Pass
	Visual Indicator	Clear evidence of Impact	Clear Evidence	Pass
ANSI Z359.14-2021 4.3.1.7	Max Arrest Force	≤ 1800 Lbf	917.8 lbF	Pass
	Avg Arrest Force	≤ 1575 Lbf	762.7 lbF	Pass
	Arrest Distance	≤ 42"	19.9"	Pass
	Visual Indicator	Clear evidence of Impact	Clear Evidence	Pass
ANSI Z359.14-2021 4.3.1.7	Max Arrest Force	≤ 1800 Lbf	956.9 lbF	Pass
	Avg Arrest Force	≤ 1575 Lbf	692.4 lbF	Pass
	Arrest Distance	≤ 42"	22.7"	Pass
	Visual Indicator	Clear evidence of Impact	Clear Evidence	Pass

### FallTech Test Report

<b>Test Report No.</b>	PC-2751	<b>Rpt. Date</b>	1/23/2023	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Zachary Winters	<b>Test Specification(s)</b>	ANSI Z359.14-2021: 4.2.1, 4.3.1, 4.4, 4.5.1,				
<b>Part No.</b>	7232C	<b>Part No. Revision</b>	G				
<b>Part Description</b>	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner						
<b>Test Request No.</b>	PC-2751	<b>Date Complete</b>	1/17/2023				

### Test Summary

Test Specification	Test Criteria		Test Result	Pass/Fail
ANSI Z359.14-2021 4.3.1.8	Max Arrest Force	≤ 1800 Lbf	1319.4 lbF	Pass
	Avg Arrest Force	≤ 1575 Lbf	872.3 lbF	Pass
	Arrest Distance	≤ 42"	14.4"	Pass
	Visual Indicator	Clear evidence of Impact	Clear Evidence	Pass
ANSI Z359.14-2021 4.3.1.8	Max Arrest Force	≤ 1800 Lbf	1244.7 lbF	Pass
	Avg Arrest Force	≤ 1575 Lbf	824.6 lbF	Pass
	Arrest Distance	≤ 42"	20.8"	Pass
	Visual Indicator	Clear evidence of Impact	Clear Evidence	Pass
ANSI Z359.14-2021 4.3.1.8	Max Arrest Force	≤ 1800 Lbf	1232.3 lbF	Pass
	Avg Arrest Force	≤ 1575 Lbf	840.4 lbF	Pass
	Arrest Distance	≤ 42"	26.8"	Pass
	Visual Indicator	Clear evidence of Impact	Clear Evidence	Pass
ANSI Z359.14-2021 4.3.1.9	Max Arrest Force	≤ 1800 Lbf	1092.9 lbF	Pass
	Avg Arrest Force	≤ 1575 Lbf	841.7 lbF	Pass
	Arrest Distance	≤ 42"	22.8"	Pass
	Visual Indicator	Clear evidence of Impact	Clear Evidence	Pass
ANSI Z359.14-2021 4.3.1.9	Max Arrest Force	≤ 1800 Lbf	980.1 lbF	Pass
	Avg Arrest Force	≤ 1575 Lbf	782.9 lbF	Pass
	Arrest Distance	≤ 42"	25.7"	Pass
	Visual Indicator	Clear evidence of Impact	Clear Evidence	Pass
ANSI Z359.14-2021 4.3.1.9	Max Arrest Force	≤ 1800 Lbf	965.3 lbF	Pass
	Avg Arrest Force	≤ 1575 Lbf	773.8 lbF	Pass
	Arrest Distance	≤ 42"	23.3"	Pass
	Visual Indicator	Clear evidence of Impact	Clear Evidence	Pass

### FallTech Test Report

<b>Test Report No.</b>	PC-2751	<b>Rpt. Date</b>	1/23/2023	<b>Rpt. Rev</b>		<b>Rev Date</b>	
<b>Report Prepared For</b>	FallTech						
<b>Initiated By</b>	Zachary Winters	<b>Test Specification(s)</b>	ANSI Z359.14-2021: 4.2.1, 4.3.1, 4.4, 4.5.1,				
<b>Part No.</b>	7232C	<b>Part No. Revision</b>	G				
<b>Part Description</b>	30' Galv Cable DuraTech SRD w/Steel Load-indicating Swivel Carabiner						
<b>Test Request No.</b>	PC-2751	<b>Date Complete</b>	1/17/2023				

### Test Summary

Test Specification	Test Criteria	Test Result	Pass/Fail
ANSI Z359.14-2021 4.5.1	Retraction Tension 0% Extracted	1.25 Lbf - 25 Lbf ≤ 48" Extended	3.4 lbF Pass
	Retraction Tension 50% Extracted	1.25 Lbf - 25 Lbf ≤ 48" Extended	2.6 lbF Pass
	Retraction Tension 100% Extracted	1.25 Lbf - 25 Lbf ≤ 48" Extended	3.2 lbF Pass
ANSI Z359.14-2021 4.5.1	Retraction Tension 0% Extracted	1.25 Lbf - 25 Lbf ≤ 48" Extended	4.2 lbF Pass
	Retraction Tension 50% Extracted	1.25 Lbf - 25 Lbf ≤ 48" Extended	3.6 lbF Pass
	Retraction Tension 100% Extracted	1.25 Lbf - 25 Lbf ≤ 48" Extended	3.3 lbF Pass
ANSI Z359.14-2021 4.5.1	Retraction Tension 0% Extracted	1.25 Lbf - 25 Lbf ≤ 48" Extended	3.9 lbF Pass
	Retraction Tension 50% Extracted	1.25 Lbf - 25 Lbf ≤ 48" Extended	2.9 lbF Pass
	Retraction Tension 100% Extracted	1.25 Lbf - 25 Lbf ≤ 48" Extended	3.3 lbF Pass

### Conclusion

Based upon the samples provided to the Lab: FallTech P/N 7232C Rev. G meets the requirements of ANSI Z359.14-2021
--

### Report Signatories and Approval

Lab Quality Manager		Date	1/23/2023
Witnessed by	Not Required	Date	N/A