

Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221

Declaration #

D0215035

Declaration Date

2.12.15

Tested Item #

5030

60' Controlled Descent Device

Additional Items Conforming Under this Declaration:

5030100

5030250

5031

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following performance standard(s):

ANSI Z359.4-2013

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Level 3

X

Level 1: FallTech Lab
Outside the Scope of
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab
Within the Scope of
ISO/IEC Standard 17025:2005

Level 3: Independent 3rd Party Lab
accredited to
ISO/IEC Standard 17025:2005

Supporting
Documentation

ZP/B012/15

Authorized Signature

Name

Mark Sasaki

Title

Director of Engineering

Date

3.20.19

(1) Examination Certificate

- (2) No. of the Examination Certificate: **ZP/B012/15**
- (3) Product: **Self-Rescue System – Descent Device**
Type: **MRG9-2P / MRG9-2P Hub**
- (4) Manufacturer: **Mittelmann Sicherheitstechnik GmbH & Co. KG**
- (5) Address: **Bessemer Str. 25, 42551 Velbert, Germany**
- (6) The design of this product and any acceptable variation thereto are specified in the schedule to this examination certificate.
- (7) The certification body of DEKRA EXAM GmbH certifies that this product comply with the fundamental requirements of the standard listed under item 8 below. The examination and test results in the test and assessment report PB 14-211.
- (8) The requirements of the standard are assured by compliance with
ANSI/ASSE Z359.4-2013
- (9) This Examination Certificate relates only to the design, examination and tests of the specified product in accordance to the standard list. Further requirements of the standard apply to the manufacturing process, supply and use of this equipment. These are not covered by this certificate.
- (10) This Examination Certificate is valid until 2020-02-11.

DEKRA EXAM GmbH
Bochum, 2015-02-12

signed: CB

Certification body

signed: SU

Special services unit

We confirm the correctness of the translation from the German original. In the case of arbitration only the German wording shall be valid and binding.

Bochum, 2015-02-12
DEKRA EXAM GmbH



Certification body



Special services unit

TRANSLATION

- (11) Appendix to
- (12) **Examination Certificate**
ZP/B012/15
- (13) 13.1 Subject and Type
Self-Rescue System – Descent Device
Type: MRG9-2P / MRG9-2P Hub

13.2 Description

The descender device type: MRG9-2P / MRG9-2P Hub is designed as part of a self-rescue system for persons. The user is attached to the end of the rope of the descender device with his personal rescue equipment to rope down with a defined descend velocity. The rope terminations of the descender device are sewed and additionally secured with shrink hoses. Two sheathed core ropes can be used. The technical specification of the descender device is following shown in table 1.

Table 1: Specification of the descender device

	MRG9-2P / MRG9-2P Hub
	Application range
Descend velocity	V = 0,8 m/s to V = 2,0 m/s
Max. user weight	100 kg to 200 kg
Min. user weight	50 kg
Rope	Sheathed core rope 9 and 10,5
Break	mechanical friction break
Max. descent height	160 m
Temperature range	-40°C to +60°C



Figure: Descender device, type: MRG9-2P

- (14) Test and Assessment Report

PB 14-211, 2015-02-12