

DERRICK LINE

FRONTLINE[®]
FALL PROTECTION



DERRICK Line

DERRICK Line

BUILT FOR THE TOUGH STUFF

This line is designed for demanding worksites, extreme elevations, offshore locations, and tower operations. It provides reliable fall protection with durable materials that maintain their strength and flexibility, even in harsh conditions.

LIS62RDL
6' DOUBLE LEG LANYARD WITH REBAR HOOKS

150DHVT
VEST STYLE HARNESS

150AC-BB
HARNESS BELLY BELT
*Sold separately

150DHTW
6D WITH REMOVABLE BOSUN CHAIR FULL BODY HARNESS

LIS61SDL
6' SINGLE LEG LANYARD WITH SNAP HOOKS

RSBC
SEALED BLOCK STAINLESS STEEL SELF RETRACTING LIFELINE

INTEGRATED SLING SEAT



Tested by an Independent
3RD PARTY LAB



Z359.11-2021



1926

1910

APPLICATION:
OIL AND GAS

USER CAPACITY
310 lbs

DERRICK 6D WITH REMOVABLE BOSUN CHAIR FULL BODY HARNESS

150DHTW



Engineered for derrick operations and elevated work, the Derrick Bosun Harness combines safety, comfort, and versatility. Built with high-strength materials and multiple D-ring attachment points, this harness supports work positioning, suspension, and fall arrest applications, ensuring reliable protection in demanding environments.

DERRICK VEST STYLE HARNESS

150DHVT

This professional-grade full-body harness combines durability, comfort, and versatility for workers operating at height or in confined spaces. Constructed with high-strength polyester webbing and galvanized alloy steel hardware, it ensures long-lasting performance and safety in demanding environments.



*Sold separately

Belly Belt Compatible: Designed with lower torso mating buckles, allowing a removable belly belt (sold separately) to be easily attached or detached for monkey board and other positioning applications.

KEY FEATURES

- **Dorsal D-Ring:** Provides a secure connection point for fall arrest systems.
- **Paired Hip Lifting D-Rings:** Offer enhanced balance and support during vertical lifting or positioning tasks.
- **Multiple D-Rings:** Strategically placed for derrick work, fall arrest, and positioning applications.
- **Integrated Sling Seat with Suspension D-Rings:** Features a 2.75 in (70 mm) wide sling seat with a Bosun seat attachment and suspension D-rings for enhanced comfort, support, and safety during extended suspended or seated operations.
- **Padded Work Positioning Belt:** Enhances user comfort while working at height.
- **Grommetted Leg Straps:** Offer 9 adjustment positions for a secure, customized fit.
- **Lanyard Keepers:** Integrated for convenient attachment and organization of lanyards.
- **Heavy-Duty Construction:** Rugged webbing, reinforced stitching, and corrosion-resistant hardware for durable, long-lasting performance.
- **Heavy-Duty Build:** Rugged, long-lasting webbing, reinforced stitching, and corrosion-resistant steel hardware for reliable performance.

HEAVY-DUTY CONSTRUCTION

with reinforced webbing, industrial stitching, and corrosion-resistant hardware.



DERRICK HARNESS BELLY BELT

150AC-BB



The Frontline Belly Belt is designed to enhance comfort, support, and functionality when used with a compatible full-body harness. Built for demanding derrick and monkey board applications, it provides additional stability and positioning control while maintaining secure attachment to the user's upper torso.

Belly Belt compatible with 150DHVT

KEY FEATURES

- **Wide Support Strap:** Constructed with a 200 mm (7.87 in) wide strap for greater coverage and comfort during extended use.
- **Upper Torso Connection:** Equipped with mating frame connecting straps for easy and secure attachment to a compatible harness.
- **Adjustable Fit:** Features 8 grommet adjustment positions for precise sizing and optimal support.
- **Integrated Frontal D-Rings:** Fixed-position front D-rings ideally suited for pipe handling and positioning work on monkey boards.
- **Heavy-Duty Build:** Durable materials and reinforced construction ensure long-lasting performance in industrial environments.

6' SINGLE LEG LANYARD WITH SNAP HOOKS

LIS61SDL

Ensure reliable fall protection in demanding oil and gas environments with our advanced safety lanyard. Designed with durable webbing that actively repels oil, grease, and other contaminants, this lanyard maintains its strength and flexibility even in the harshest conditions.

Its high-quality construction offers maximum safety and comfort, while the enhanced webbing ensures long-lasting performance and reduced maintenance. Perfect for challenging job sites, this safety lanyard provides peace of mind while working at heights and in fall arrest scenarios, meeting industry standards for safety and durability.



KEY FEATURES

- Constructed from polyester webbing with a repelling coating finish for oil, dust, and water resistance.
- 6' free-fall shock absorption with external shock absorber pack.
- Single-leg design with double locking snaphook ends.
- The lanyards highly durable and repelling design features, makes it adequate for extreme and demanding environments.

6' DOUBLE LEG LANYARD WITH REBAR HOOKS

LIS62RDL

Ensure reliable fall protection in demanding oil and gas environments with our advanced safety lanyard. Designed with durable webbing that actively repels oil, grease, and other contaminants, this lanyard maintains its strength and flexibility even in the harshest conditions.

Its high-quality construction offers maximum safety and comfort, while the enhanced webbing ensures long-lasting performance and reduced maintenance. Perfect for challenging job sites, this safety lanyard provides peace of mind while working at heights and fall arrest scenarios, meeting industry standards for safety and durability.



KEY FEATURES

- Constructed from polyester webbing with a repelling coating finish for oil, dust, and water resistance.
- 6' free-fall shock absorption with external shock absorber pack.
- Twin-leg design with rebar hook ends for increased versatility.
- Twin-leg configuration allows for 100% tie-off, ensuring continuous protection.

SEALED BLOCK STAINLESS STEEL SELF RETRACTING LIFELINE

Introducing our advanced line of IP68 rated SRL Sealed Blocks, engineered specifically for deployment in the toughest and most demanding environments. Designed to withstand the rigors of the oil and gas industry and offshore applications, these heavy-duty blocks feature a robust stainless steel sealed construction that effectively protects critical internal components from exposure to dirt, grease, water, and hazardous chemicals.

Our SRL sealed blocks incorporate a pivoting anchorage loop designed to reduce cable friction, allowing for seamless movement even when alignment isn't perfect. This innovative feature enhances operational efficiency and safety throughout use. Additionally, the impact indicator provides immediate visual confirmation of any fall or hard impacts, ensuring ongoing safety assessments for users.

AVAILABLE LENGTHS

50' RSBC50 80' RSBC80



KEY FEATURES

- **Robust Sealed Design:** Constructed to meet IP68 protection standards according to IEC 60529, ensuring complete resistance against dust ingress and protection against permanent submersion in water.
- **Maximum Contamination Protection:** All critical components are securely sealed, dramatically improving reliability and performance in harsh conditions where contaminants may compromise other products.
- **Innovative Pivoting Anchorage Loop:** The designed loop allows for slight movement during operation, significantly reducing friction on the cable and enhancing operational effectiveness even in less alignment scenarios.
- **Stainless Steel Swivel Snap Hook:** Facilitates smooth, 360-degree movement, preventing tangles and ensuring easy attachment to harnesses or anchorage points.

STAINLESS STEEL HOUSING

offers exceptional resistance to corrosion and wear

IMPACT INDICATOR

immediately signals any falls or significant impacts



FRONTLINE®

FALL PROTECTION



Visit category on website:



FRONTLINE FALL PROTECTION INC.
www.frontlinefall.com info@frontlinefall.com